



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product name CC-1200 Product Series
MSDS name CC-1200 Product Series - Various Colors
Product name(s) covered See Section 16 for Product Names Covered.
CAS # Mixture
Manufacturer Bostik, Inc.
 211 Boston Street
 Middleton, MA 01949 USA
24 hour emergency assistance Telephone: 1-800-227-0332
General assistance Telephone: 1-978-777-0100
MSDS assistance Telephone: 1-414-607-1347

2. Hazards Identification

Emergency overview Contact with this material can cause irritation to the skin, eyes and mucous membranes.
Potential health effects
Eyes This product may cause irritation to the eyes.
Skin This product may cause irritation to the skin. Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.
Inhalation This product may cause irritation to the respiratory system. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Ingestion Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Target organs None known for product as a whole.

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
Petroleum distillates, hydrotreated middle	64742-46-7	15 - 40
Silanetriol, methyl-, triacetate	4253-34-3	1 - 5
Silanetriol, ethyl-, triacetate	17689-77-9	1 - 5

4. First Aid Measures

First aid procedures
Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or advice.
Skin contact For skin contact flush with large amounts of water while removing contaminated clothing. If skin irritation persists, call a physician.
Inhalation If inhaled, immediately remove the affected person to fresh air. Call a physician if symptoms develop or persist.
Ingestion If the material is swallowed, get immediate medical attention or advice. Do not induce vomiting without medical advice. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Notes to physician Provide general supportive measures and treat symptomatically. Contact Bostik to determine whether any additional information is available.

5. Fire Fighting Measures

Hazardous combustion products Fumes from complete or incomplete combustion may include carbon dioxide, carbon monoxide, water vapor, acetic acid, formaldehyde, oxides of nitrogen and silicon, and a wide variety of innocuous or toxic fumes.

Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide, water fog.

Fire fighting equipment/instructions Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accidental Release Measures

Emergency action Wear appropriate personal protective equipment. Do not allow product to enter sewer or waterways. Follow all Local, State, Federal and Provincial regulations for disposal.

Spill or leak procedure Scrape up material and place in steel drums that are in good condition. Thoroughly clean area where spill occurred.

Containment procedures Stop source of leak if possible. Contain the discharged material.

Reporting See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements.

7. Handling and Storage

Handling Do not get this material in your eyes, on your skin, or on your clothing. Avoid breathing vapors or mists of this product. Wash hands after handling and before eating.

Storage Store in a cool, dry, well-ventilated area away from heat, ignition sources and direct sunlight. Water contamination should be avoided.

Empty container precaution Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls / Personal Protection

Engineering controls Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product. Product evolves acetic acid (HOAc) when exposed to water or humid air. Provide ventilation to control HOAc within exposure guidelines or use respiratory protection.

Personal protective equipment

Eye protection Wear safety glasses with side shields.

Skin and body protection Use impervious gloves. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical & Chemical Properties

Target solids 100 %

Odor Mild

Color Various

Physical state Paste

Freeze protect No

10. Chemical Stability & Reactivity Information

Hazardous reactions/decomposition products Fumes from complete or incomplete combustion may include carbon dioxide, carbon monoxide, water vapor, acetic acid, formaldehyde, oxides of nitrogen and silicon, and a wide variety of innocuous or toxic fumes.

Hazardous polymerization Will not occur.

Conditions to avoid Avoid contact with water or humid air since Acetic acid is formed upon contact. Avoid Strong Oxidizers.

Stability This is a stable material.

11. Toxicological Information

Not available.

12. Ecological Information

Ecotoxicological information No data available for this product.

13. Disposal Considerations

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposal Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

14. Transport Information

DOT

Not regulated as hazardous goods.

IATA

Not regulated as hazardous goods.

IMDG

Not regulated as hazardous goods.

15. Regulatory Information

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200.

Federal regulations All components are on the U.S. EPA TSCA Inventory List.

State regulations If this product contains any ingredients listed under California Proposition 65, they will be noted below:

International regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

All components are included on the Canadian Domestic Substances List (DSL).

HMIS Ratings

Health: 2*
Flammability: 1
Physical hazard: 0
Personal protection: X

SARA 311/312 HAZARD CATEGORIES

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

WHMIS status

Non-controlled

16. Other Information

Product name(s) covered
K198110 - CC-1200 WHITE 12/10.3
K198210 - CC-1200 CLEAR 12/10.3
K198310 - CC-1200 BLACK 12/10.3

Disclaimer

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Issue date

01/13/2009

Prepared by

Pam Larsen

Supercedes

12/30/2008

**This data sheet contains
changes from the previous
version in section(s):**

Regulatory Information: International regulations